# **G15 METALLIC PUMP TECHNICAL DATA SHEET**



## **NATUAL GAS PUMPS**

CSA certified to ANSI LC6 standard and Canadian Technical Letter No. R-14 for operation using sweet or sour natural gas

# PERFORMANCE

## **SUCTION / DISCHARGE PORT SIZE**

- 11/2" NPT
- 11/2" BSP

### CAPACITY

• 0 to 106 gallons per minute (0 to 401 LPM)

## AIR DISTRIBUTION VALVE

· No-lube, no-stall design

## **SOLIDS-HANDLING**

• Up to .25 in. (6mm)

### **HEADS UP TO**

· 100 psi or 231 ft. of water (7 bar or 70 meters)

## **MAXIMUM OPERATING PRESSURE**

· 100 psi (7 bar)


# **DISPLACEMENT/STROKE**

· .41 Gallon / 1.55 liter

### **WEIGHTS**


- Aluminum 53 lbs. (24kg)
- Stainless Steel 95 lbs. (43kg)

# **DIMENSIONS**




and exclusions.

**5 YEAR LIMITED PRODUCT WARRANTY** 



HEAD

20



Performance based on water at ambient temperature.


- GAS / AIR CONSUMPTION IN SCFM

G SER ES



originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts."







Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867














4.00 [101.60]

# **EXPLANATION OF PUMP NOMENCLATURE**



## **PUMP BRAND**

G Natural Gas Operated

# **PUMP SIZE**

15 1½"

### **CHECK VALVE TYPE**

B Ball

#### **DESIGN LEVEL**

Design Level

### **WETTED MATERIAL**

S Stainless Steel

A Aluminum

# DIAPHRAGM/CHECK VALVE MATERIALS

B Nitrile/Nitrile

T PTFE -Nitrile/PTFE

5 Nitrile/PTFE

### **CHECK VALVE SEAT**

T PTFE

S Stainless Steel

A Aluminum

## **NON-WETTED MATERIAL OPTIONS**

A Painted Aluminum

B Unpainted Aluminum with Stainless Steel Gas Valve

D Unpainted Aluminum with Stainless Steel Gas Valve with FKM O-rings

X Unpainted Aluminum

Unpainted Aluminum/FKM Elastomers

Unpainted Aluminum/FKM Elastomers

S Stainless Steel/ S02/304 SS Hardware

T Stainless Steel/ 316 Stainless Hardware

7 Painted Stainless Steel

8 Stainless Steel/FKM Elastomers

Painted Stainless Steel/FKM Elastomers

Porting Options

N NPT Threads

B BSP (Tapered) Threads

R 150# Raised Face 1 1/2" ANSI Flange w/ Threaded Pipe Connections

**W** 150# Welded Raised Face 1 1/2" ANSI Flanged Manifolds

### **PUMP STYLE**

S Standard

#### **MUFFLER OPTIONS**

X No Muffler \*

# **MATERIALS**

Material Profile:	Operating Temperatures:	
CAUTION! Operating temperature limitations are as follows:	Max.	Min.
CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents.	190°F 88°C	-20°F -29°C
<b>EPDM:</b> Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols.	280°F 138°C	-40°F -40°C
FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.	350°F 177°C	-40°F -40°C
HYTREL*: Good on acids, bases, amines and glycols at room temperatures only.	220°F 104°C	-20°F -29°C
NEOPRENE: All purpose. Resistance to vegetable oils. Generally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.	200°F 93°C	-10°F -23°C
NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C
NYLON: 6/6 High strength and toughness over a wide temperature range. Moderate to good resistance to fuels, oils and chemicals.	180°F 82°C	32°F 0°C

POLYPROPYLENE: A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by chlorine, fuming nitric acid and other strong oxidizing agents.	180°F 82°C	32°F 0°C
PVDF: (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance.	250°F 121°C	0°F -18°C
SANTOPRENE*: Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	275°F 135°C	-40°F -40°C
UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance.	180°F 82°C	-35°F -37°C
URETHANE: Shows good resistance to abrasives. Has poor resistance to most solvents and oils.	150°F 66°C	32°F 0°C
VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.	220°F 104°C	-35°F -37°C

Maximum and Minimum Temperatures are the limits for which these materials can be operated. Temperatures coupled with pressure affect the longevity of diaphragm pump components. Maximum life should not be expected at the extreme limits of the temperature ranges.

# **Metals:**

ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.

STAINLESS STEEL: Equal to or exceeding ASTM specification A743 CF-8M for corrosion resistant iron chromium, iron chromium nickel and nickel based alloy castings for general applications. Commonly referred to as 316 Stainless Steel in the pump industry.

For specific applications, always consult the Chemical Resistance Chart.  $\overbrace{\text{Ex}}$ 



NOTE: See service manual for ATEX details.

SP\_DS\_TemplateDataSheet\_0817



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

Springer Pumps, LLC Web Springer Parts®