# G20 METALLIC PUMP TECHNICAL DATA SHEET

## **SERIES**

### NATUAL GAS PUMPS

CSA certified to ANSI LC6 standard and Canadian Technical Letter No. R-14 for operation using sweet or sour natural gas

### PERFORMANCE

### SUCTION / DISCHARGE PORT SIZE

- 2" NPT
- 2" BSP
- CAPACITY
- 0 to 200 gallons per minute (0 to 758 LPM)

### AIR DISTRIBUTION VALVE

### No-lube, no-stall design

SOLIDS-HANDLING

### • Up to .25 in. (50mm)

- HEADS UP TO
  - 100 psi or 231 ft. of water (7 bar or 70 meters)

### MAXIMUM OPERATING PRESSURE • 100 psi (7 bar)


· TOO har (1 ngi)

### DISPLACEMENT/STROKE


.46 Gallon / 1.7 liter

### WEIGHTS

Aluminum 69 lbs. (31kg)Stainless Steel 114 lbs. (52kg)



GSERLES



HEAD

2

0

20

20 PSI (1.36 Bar) Air Inlet Pressu

#### 5 YEAR LIMITED PRODUCT WARRANTY 5 Year Guarantee for defects in material or workmanship. See sandpinerroump.com/content/warranty-certifications

sandpiperpump.com/content/warranty-certifications for complete warranty, including terms and conditions, limitations and exclusions.



### **USE ONLY GENUINE SANDPIPER PARTS**

All certification, standards, guarantees & warranties originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts."



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

CEE SAIGLOBAL

Tel: 866-777-6060 Fax: 866-777-6383 Int'l: +001 267 404 2910


EXCLUSIVE

FEATURS

Springer Pumps, LLC Springer Parts®

Websites: www.springerpumps.com www.springerparts.com

# EXPLANATION OF PUMP NOMENCLATURE



#### **PUMP BRAND**

G Gas Operated

PUMP SIZE

20 2"

#### **CHECK VALVE TYPE** Ball в

### **DESIGN LEVEL**

1 Design Level

### WETTED MATERIAL

- Stainless Steel s
- Α Aluminum

#### DIAPHRAGM/CHECKVALVEMATERIALS Т

- в Nitrile/Nitrile
- FKM / PTFE С
- т PTFE-Nitrile / PTFE FKM / FKM v
- 5 Nitrile/PTFE
- MATERIALS

# **CHECK VALVE SEAT**

Nitrile в

PTFF т

D

х

0

v

7

8

- Aluminum Α
- s Stainless Steel

#### **NON-WETTED MATERIAL OPTIONS**

#### Α

- в
  - Unpainted Aluminum with Stainless Steel Gas Valve with FKM O-rings

- Painted Stainless Steel
- 9

Operating

### **PORTING OPTIONS**

- N NPT Threads
- BSP (Tapered) Threads в
- 150# Raised Face 2" ANSI Flange w/ R
- Threaded Pipe Connections
- W 150# Welded Raised Face 2" ANSI
- Flanged Manifolds
- **PUMP STYLE**

#### s Standard **MUFFLER OPTIONS**

X No Muffler Permitted \*

32°F

180°F

	Material Profile:	
	<b>AUTION!</b> Operating temperature limitations are as follows:	
	CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents.	
	EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols.	
	FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.	
	HYTREL*: Good on acids, bases, amines and glycols at room temperatures only.	
	<b>NEOPRENE:</b> All purpose. Resistance to vegetable oils. Gener- ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing	

		rating ratures:	POLYPROPYLENE: A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by chlorine, fuming nitric acid and other strong oxidizing agents.	180°F 82°C	32°F 0°C	
CAUTION! Operating temperature limitations are as follows: CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and	Max. 190°F 88°C	Min. -20°F -29°C	PVDF: (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance.	250°F 121°C	0°F -18°C	
EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and	280°F 138°C	-40°F -40°C	SANTOPRENE*: Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	275°F 135°C	-40°F -40°C	
alcohols. FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and	350°F 177°C	-40°F -40°C	UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance.	180°F 82°C	-35°F -37°C	
halogenated hydrocarbons, especially an aniphratic, aronatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.			URETHANE: Shows good resistance to abrasives. Has poor resistance to most solvents and oils.	150°F 66°C	32°F 0°C	
HYTREL*: Good on acids, bases, amines and glycols at room temperatures only.	220°F 104°C	-20°F -29°C	VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few fluora chemicals are achieved to the statement of the statement.	220°F 104°C	-35°F -37°C	
NEOPRENE: All purpose. Resistance to vegetable oils. Gener- ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.		-10°F -23°C	fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures. Maximum and Minimum Temperatures are the limits for which the operated. Temperatures coupled with pressure affect the longevity components. Maximum life should not be expected at the extreme	y of diaphragm pump		
NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C	temperature ranges. Metals: ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.			
NYLON: 6/6 High strength and toughness over a wide tem- perature range. Moderate to good resistance to fuels, oils and	sion resistant iron chromium, iron chromium nickel and nickel base	AINLESS STEEL: Equal to or exceeding ASTM specification A743 CF-8M for corro- on resistant iron chromium, iron chromium nickel and nickel based alloy castings for				

general applications. Commonly referred to as 316 Stainless Steel in the pump industry. For specific applications, always consult the Chemical Resistance Chart.



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

### NOTE: See service manual for ATEX details.

POLYPROPYLENE: A thermoplastic polymer. Moderate tensile

SP\_DS\_TemplateDataSheet\_0817

(Ex)

Tel: 866-777-6060 Fax: 866-777-6383 Int'l: +001 267 404 2910

chemicals.

Springer Pumps, LLC Springer Parts®

Painted Aluminum Unpainted Aluminum with Stainless Steel Gas Valve Unpainted Aluminum Unpainted Aluminum/FKM Elastomers Unpainted Aluminum/FKM Elastomers Stainless Steel/ S02/304 SS Hardware Stainless Steel/ 316 Stainless Hardware Stainless Steel/FKM Elastomers Painted Stainless Steel/EKM Elastomers