



Barmesa[®] Pumps



SPRINGER PUMPS

Submersible Pumps for dewatering, slurry and light slurry

Discover more on our website: **barmesapumps.com**

North America: 866 777 6060
Int'l: +1 267 404 2910

Springer Pumps
Springer Parts

www.springerpumps.com
www.springerparts.com

KAG series

Submersible pump for **light slurry**, ideal for use in construction, light mud and effluent water. Among its outstanding features are:

- › The impeller and pump cover are made of high chrome steel, which makes these parts highly resistant to wear.
- › The interior design of the pump allows it to operate continuously even when partially submerged.
- › They also have a high nickel chrome agitator that facilitates the pumping of muddy water with abrasive material.
- › **Discharge:** 2", 3" and 4" vertical / horizontal hose connector. Cast iron ASTM A-48 class 30. Includes a discharge adapter for NPT threads.
- › **HP:** 2, 3 and 5
- › **Impeller:** semi-open type. High chrome alloy.
- › **Shaft:** 420 AISI stainless steel.
- › **Motor:** single-phase and three-phase induction, 230 & 460 V, 60 Hz, 3450 RPM. Class F insulation and IP68 protection.



KMUD series

Submersible pump for **slurry**, ideal for use in open mines, construction, treatment plants, etc.

- › **Discharge:** 3", 4", 6" and 8" vertical with hose connector. Cast iron ASTM A-48. Includes a discharge adapter for NPT threads.
- › **HP:** 5, 8, 12, 15, 20 and 30
- › **RPM:** 3450
- › **Impeller:** semi-open type. High chrome alloy.
- › **Shaft:** 420 AISI stainless steel.
- › **Motor:** three-phase induction, 230 & 460 V, 60 Hz, 1750 RPM. Class F insulation and IP68 protection.





KTM series

Submersible pump for **dewatering** muddy water. Among its outstanding features are:

- › The Impeller and the pump cover are made of high chrome steel, which allows these parts to be highly resistant to wear.
- › The interior design of the pump allows it to operate continuously even when partially submerged.
- › **Discharge:** 2", 3" and 4" vertical with hose connector. Cast iron ASTM A-48.
- › **HP:** 2, 3, 5, 7.5, 10, 15 and 20
- › **Impeller:** semi-open type. High chrome alloy.
- › **Shaft:** 420 AISI stainless steel.
- › **Motor:** single and three phase induction, 230 & 460 V, 60 Hz, 3450 RPM. Class F insulation and IP68 protection.



Simplex Control Panels for K series pumps automatic & manual control

- › Three phase
- › 230/460 V
- › Type 4X polycarbon



Barmesa Pumps started operations in 1953, manufacturing small self-primer pumps, jet pumps and end suction centrifugal pumps for the rural market.

Today after more than 60 years, we have manufacturing facilities & distribution centers across America, and an extensive distributor network. Our State of the Art manufacturing facilities have modern CNC machinery as well as sophisticated design and test capabilities. Barmesa serves markets such as commercial, municipal, wastewater, water, industrial, construction, utility, chemical, OEM, irrigation, dewatering flood control, fire protection as well as many other applications.

Our privately held family business is committed to offer an extensive variety of products with the best quality standards and on-time deliveries. We are proud to say "Quality Pumps Since 1953".



SPRINGER PARTS

© Barmesa Pumps LLC. All rights reserved.